

1 INCH METAL SEATED STAINLESS STEEL FLANGED BALL VALVE



- Live loaded packing
- Electric actuator



1 1/2 INCH STAINLESS STEEL THREADED END BALL VALVE



- Spring-diaphragm actuator
- Limit switch
- Solenoid pilot valve



3 INCH THREE-WAY STAINLESS STEEL BALL VALVE



Product Description

• Rack and pinion pneumatic actuator



4 INCH RUBBER SEATED BUTTERFLY VALVE

Product Description

Electric actuator




6 INCH METAL SEATED STAINLESS STEEL FLANGED BALL VALVE



- High temperature stem extension
- Spring return pneumatic piston actuator
- Limit switch





• Custom made mounting hardware for an electric actuator




24 INCH HIGH PERFORMANCE BUTTERFLY VALVE



- Rack and pinion pneumatic piston actuator
- Limit switch



3 INCH SOFT SEATED CARBON STEEL FLANGED BALL VALVE



- Spring-diaphragm pneumatic actuator
- Custom mounting of third party digital positioner



TWO-WAY AND THREE-WAY BRASS 3 PIECE BALL VALVES



Product Description

Custom mounting of electric actuators




SOFT SEATED BALL VALVE



- Spring-diaphragm actuator
- Explosion proof limit switch
- Dual redundant solenoid pilot valves




MICRO RATIO VALVE ASSEMBLY



- Ganged fuel gas and air flow valves for boiler control
- Two butterfly valves
- Spring-diaphragm pneumatic actuator
- Pneumatic positioner
- Limit switch



CERAMIC LINED BALL CONTROL VALVE



- Rack and pinion double acting pneumatic piston actuator
- Electro-pneumatic positioner
- Custom mounting hardware



CORROSION RESISTANT COMPOSITE BALL VALVE



- Spring-diaphragm pneumatic actuator
- Digital positioner



1 1/2 INCH STAINLESS STEEL SOFT SEATED BALL VALVE



Product Description

• Stainless steel rack and pinion pneumatic actuator



2 INCH STAINLESS STEEL SOFT SEATED BALL VALVE



- Rack and pinion pneumatic piston actuator
- Speed control valves
- Solenoid pilot valve





• Rack and pinion pneumatic piston actuator



NELES ROTARY GLOBE VALVE



- Electric actuator with control module
- Combines ruggedness of globe valve with the low profile and long stem seal life of a rotary valve






8 inch stainless metal seated ball valve for high temperature service in a petroleum refinery

- Double acting pneumatic piston actuator
- Declutchable manual gear override
- Digital positioner side mounted with custom made linkage





- Rack and pinion pneumatic piston actuator
- Declutchable manual gear override. (Shown with the handwheel removed)
- Custom fabricated 10 foot stem extension



CUSTOM FABRICATED LINKAGES



Product Description

Custom fabricated linkages to mount Neles smart digital valve controllers on a wide variety of third party control valves and actuators

