## CHANGE-OUTS SHOULDN'T BE A PAIN!

## **REVOLUTIONIZE YOUR PROCESS PURIFICATION, UPGRADE CARBON CANISTERS TO XTREAMSORB®**

Traditional process stream carbon adsorption has utilized relatively large loose carbon granules. The carbon granules are typically held within replaceable filter canisters. XtreamSorb's carbon block technology utilizes much smaller carbon powder that is either cast or extruded with a binding agent or adhesive. The utilization of drastically smaller carbon powder held tightly together with a binder forms a porous carbon block designed to drive a greatly enhanced mass transfer contact between the carbon and hydrocarbon contaminant species by eliminating void spaces and flow channeling due to carbon movement. The improved mass transfer results in cleaner fluids in a smaller less expensive footprint. XtreamSorb technology is the marriage of PEACH® particle filtration, hydrocarbon adsorption and small droplet coalescing with a carbon block truly designed for industrial process streams. The technology marriage forms a two-stage all in one product with unprecedented removal performance.



## • 50% CHANGE-OUT TIME REDUCTION

- 66% WEIGHT REDUCTION
- INCREASED SAFETY

Web: www.parker.com/ipf/peco E-Mail: industrialprocess.na@parker.com Phone: 940-325-2575

To order contact your local distributor



Converting from double-stacked canisters to one continuous XtreamSorb cartridge saves change-out time, reduces repetition and decreases chances of fluid loss.

## WEIGHT 66% Less Granular Granular Carbon Canister XtreamSorb Carbon 60 20

Two 22" canisters weigh up to 120 lbs. Where as one 44" XtreamSorb equals only 20 lbs.

