

Sharpe® Series 5303 Three-Piece Ball Valve Datasheet






Three-Piece Ball Valve Sharpe® Series 5303





Size	C_{V}	Weight (lbs.)
1/4	20	0.9
3%	25	0.9
1/2	28	1.1
3/4	50	1.8
1	70	2.6
1-1/4	112	4.0
1-1/2	170	6.3
2	395	9.7
2-1/2	835	18.7
3	860	29.5
4	1780	47.5





Design Features

- Full Port
- 1000 CWP (¼"-2") 600 CWP (2½"-4")
- Carbon Steel ASTM A216 WCB or 316 Stainless Steel ASTM A351 CF8M
- Threaded, Socket Weld*, or Schedule 10, or 40 Butt Weld* Ends**
- Blow-Out Proof Stem
- · Lockable Lever Handle

Design Features

- Socket Weld & Threaded Ends: ASME B16.11
- Butt Weld Ends: ASME B16.25
- Shell and Seat Tests: ASME B16.34

Options

- · Stem Extension, Non-Locking
- · Reverse Handle Non-Locking
- Oval Handle, Lockable, up to 2"

Note:

- *Valves with Welded Ends supplied with extra set of PTFE Body Seals.
- **Butt Weld available only in 316 Stainless Steel ASTM A351 CF8M.




asc-es.com

Building connections that last™



Three-Piece Ball Valve **Sharpe® Series 5303**






Dimensions (Inches)

Size	Α	A1	В	С	ØD	ØE	F	ØG	ØH	ØI	J	K	L
1/4	2.50	2.56	2.21	4.00	0.46	0.56	0.44	0.44	0.54	0.36	1.79	3.62	2.42
3/8	2.50	2.56	2.21	4.00	0.50	0.69	0.44	0.57	0.68	0.49	1.79	3.62	2.42
1/2	2.83	2.83	2.36	4.00	0.59	0.86	0.44	0.70	0.84	0.62	2.13	3.62	2.42
3/4	3.34	3.34	2.47	5.00	0.79	1.07	0.56	0.92	1.05	0.82	2.66	3.78	2.56
1	3.62	3.62	2.81	5.70	0.98	1.33	0.72	1.19	1.32	1.05	2.82	3.78	2.56
1-1/4	4.33	4.33	3.08	5.70	1.26	1.68	0.72	1.52	1.66	1.38	3.17	4.72	3.31
1-1/2	4.83	4.83	3.47	7.50	1.50	1.92	0.75	1.75	1.90	1.61	3.39	4.72	3.31
2	5.58	5.58	3.82	7.50	2.00	2.41	0.84	2.23	2.38	2.07	3.66	4.72	3.31
2-1/2	6.84	6.84	5.81	10.00	2.56	2.90	1.13	2.64	2.88	2.47	-	-	-
3	7.59	7.57	6.23	10.00	3.00	3.54	1.25	3.24	3.50	3.07	-	-	-
4	10.79	10.76	7.31	11.34	3.94	4.54	1.75	4.21	4.50	4.03	-	-	_


Three-Piece Ball Valve Sharpe® Series 5303





Parts & Materials

No.	Part Name	Qty	Material
1	Body	1	Carbon Steel ASTM A216 WCB or 316 Stainless Steel ASTM A351 CF8M
2	End Piece	2	Carbon Steel ASTM A216 WCB or 316 Stainless Steel ASTM A351 CF8M
3	Seat	2	RTFE
4	Ball	1	316 Stainless Steel
5	Body Seals	2	PTFE
6	Stem	1	316 Stainless Steel
7	Thrust Bearing	1	PTFE
8	Stem Packing	1	PTFE
9	Gland Packing	1	300 Series Stainless Steel
10	Handle	1	300 Series Stainless Steel
11	Handle Washer	1	300 Series Stainless Steel
12	Handle Nut	1	300 Series Stainless Steel
13	Lock Washer	4/12	300 Series Stainless Steel
14	Nut	4/12	300 Series Stainless Steel
15	Bolts	4/6	300 Series Stainless Steel
16	Hand Sleeve	1	PVC









How to order Series 5303

Example: 2 5303-6-SW

2	5303	- 6	- SW	_			
Size	Series	Body Material	End Connections		Options		
Size	Series	Body Material	End Connections		Options		
1/4	5303	4 Carbon Steel	with Carbon Steel Body (cod	de 4) NLS	Non-Locking Stem		
3/8		6 316 Stainless	TE Threaded		Extension, 2-1/2"		
1/2		Steel	SW Socket Weld	ОН	Oval Handle (up to 2")		
3/4			TE / SW Threaded / Socke	et Weld			
1			with Stainless Steel Body (c	ode 6)			
1-1/4			TE Threaded				
1-1/2			SW Socket Weld				
2			BW Butt-weld (Sch 40))			
2-1/2			BW10 Butt-weld (Sch 10	0)*			
3			TE / SW Threaded / Socke	et Weld			
4			TE / BW Threaded / Butt-v (Sch 40)	weld			
			TE / BW10 Threaded / Butt V (Sch 10)*	Weld			

Notes:

*POA

Responsibility for proper selection, use and maintenance of any product remains solely with the purchaser and end user. We reserve the right to modify or improve the designs or specifications of any product, at any time without notice.

About ASC Engineered Solutions

ASC Engineered Solutions is defined by quality—in its products, services and support. With more than 1,400 employees, the company's portfolio of precision-engineered piping support, valves and connections provides products to more than 4,000 customers across industries, such as mechanical, industrial, fire protection, oil and gas, and commercial and residential construction. Its portfolio of leading brands includes ABZ Valve®, AFCON®, Anvil®, Anvil EPS, Anvil Services, Basic-PSA, Beck®, Catawissa, Cooplet®, FlexHead®, FPPI®, Gruvlok®, J.B. Smith, Merit®, North Alabama Pipe, Quadrant®, SCI®, Sharpe®, SlideLOK®, SPF® and SprinkFLEX®. With headquarters in Commerce, CA, and Exeter, NH, ASC also has ISO 9001:2015 certified production facilities in PA, TN, IL, TX, AL, LA, KS, and RI.







asc-es.com

Building connections that last™

